	Application No.	Applicant(s)
Notice of Allowability	10/633,418	NAKANISHI ET AL.
	Examiner	Art Unit
	Tony Chuo	1745
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 7/24/07.		
2. The allowed claim(s) is/are <u>1-3, 5, and 6</u> .		
 3.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examples's Observed Regarding Requirement for Deposit	5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amendo 8. ☑ Examiner's Stateme	(PTO-413),
of Biological Material	9.	

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance:

The Uemoto reference discloses a battery comprising: a group of electrode "1" containing a positive electrode plate "2" and a negative electrode plate "3" spirally wound around an axis of the group of electrode as an electricity generating element housed in a battery can "27"; a pair of negative terminal "27" and positive terminal "32" wherein the positive terminal "32" is secured to the lid "31" of the battery; a current collector plate "25" that is connected to an edge of an electrode at one end of the group of electrode "1" to electrically connect the electrode body to the positive terminal "32"; and heights "25a" that are protrusively formed on a surface of the current collector plate and extends in the direction of the axis of the electrode body on a side of the current collector plate not connected to the edge of the electrode that is welded to a base portion "28" of the positive terminal to form a welded surface between the heights and the base portion (See paragraph [0020,[0021],[0022],[0023] and Drawing 1).

However, Uemoto et al does expressly teach one or more than one connecting piece that is welded to a flange portion of a base portion of the one of the negative and positive electrode terminal assemblies, wherein the flange portion extends from the base portion in the direction of the axis of the electrode unit on a side of the base portion facing the current collector.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Art Unit: 1745

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Chuo whose telephone number is (571) 272-0717. The examiner can normally be reached on M-F, 8:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TC

JONATHAN CREPEAU PRIMARY EXAMINER